

Prepared for:

CBD Livity

104 Waccamaw Drive
Hertford, NC USA 27944

Adapto Elixir

Batch ID or Lot Number: 25CL1020502	Test, Test ID and Methods: Various	Matrix: Finished Product	Page 1 of 2
Reported: 10Feb2025	Started: 07Feb2025	Received: 06Feb2025	

Microbial Contaminants

Test ID: T000298330

Methods: TM25 (PCR) TM24, TM26,
TM27 (Culture Plating)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Nora Langer
11Feb2025
05:21:00 PM MST

PREPARED BY / DATE



Brett Hudson
11Feb2025
07:17:00 PM MST

APPROVED BY / DATE

Prepared for:
CBD Livity104 Waccamaw Drive
Hertford, NC USA 27944**Adapto Elixir**Batch ID or Lot Number:
25CL1020502Test, Test ID and Methods:
VariousMatrix:
Finished Product


Page 2 of 2

Reported:
10Feb2025Started:
07Feb2025Received:
06Feb2025**Cannabinoids**

Test ID: T000298329

Methods: TM14 (HPLC-DAD): Potency - Broad
Spectrum Analysis, 0.01% THC

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.008	0.028	0.174	1.74	
Cannabichromenic Acid (CBCA)	0.008	0.026	ND	ND	
Cannabidiol (CBD)	0.027	0.077	4.019	40.19	
Cannabidiolic Acid (CBDA)	0.028	0.079	ND	ND	
Cannabidivarin (CBDV)	0.006	0.018	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.012	0.033	ND	ND	
Cannabigerol (CBG)	0.005	0.016	0.068	0.68	
Cannabigerolic Acid (CBGA)	0.020	0.067	ND	ND	
Cannabinol (CBN)	0.006	0.021	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.014	0.045	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.024	0.079	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.004	0.012	0.100	1.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.003	0.011	ND	ND	
Tetrahydrocannabivarin (THCV)	0.004	0.014	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.017	0.056	ND	ND	
Total Cannabinoids			4.361	43.61	
Total Potential THC			0.100	1.00	
Total Potential CBD			4.019	40.19	

Final ApprovalSam Smith
12Feb2025
12:34:00 PM MSTKaren Winternheimer
12Feb2025
12:49:00 PM MST

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/3b1b210e-6a40-4ffe-837c-7f8ae111f842>**Definitions**

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa * (0.877)) and Total CBD = CBD + (CBDa * (0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa * (0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA](#) for more details.

Cert #4329.02
3b1b210e6a404ffe837c7f8ae111f842.1